


IMPERIAL KITCHEN VENTILATION



American Made Since 1961



Why Choose Imperial

- ◆ 7 Year Warranty on Parts & Labor...Best in the Industry.
 - ◆ Made in California.
- ◆ Exceptional customer service.
 - ◆ In business since 1961.
 - ◆ Simple Installation.
- ◆ Custom pieces in as little as 4 weeks.
 - ◆ Employee owned.
 - ◆ Availability.
 - ◆ Variety of Styles.
 - ◆ Reliability.

NOW THE QUESTION IS: "Why NOT Choose Imperial."

About Imperial

Imperial Cal. Products, Inc. was founded in 1961 by Frank Flentye. Frank began making economy range hoods in his San Fernando Valley, CA garage. The company started out in Van Nuys, CA, in a 1000 square foot building. With Frank and a few part-time college students, the company was able to produce 500 economy hoods a month. Soon the demand for quality high-end models was exceeding their manufacturing abilities. Frank and his employees began hand-crafting a number of high-end models and styles. More product demand required more space and a larger work force. In 1973, after 10 years in the San Fernando Valley/ Burbank area, the company moved to Orange County. Imperial relocated to a 35,000 square foot plant in Brea, California. It is here that approximately 900 variations of the nine different groups and styles of range hoods are produced by 35 employees. The increase in the demand for Imperial products is due to three main factors; our emphasis on quality, performance, and customer service. Our focus in these three areas has resulted in our steady growth. In 2004, Frank Flentye turned the company over to his employees. Imperial has an ESOP program where the employees enjoy ownership in the company along with the pride of watching Imperial expand. Although once exclusively based in Southern California, the company has expanded sales Nationwide.



Powered Liner Series

Powered Liner ~ Wall Application—Baffle Filters	Page 1
Powered Liner ~ Wall Application—Mesh Filters	Page 5

Island Series


Island Pyramid	Page 11
Island Slim Line	Page 12
Contemporary Island Slim Line	Page 13
Ceiling Mount Island	Page 14

Wall Mount Series

Wall Mount & Outdoor Series	Page 15
Wall Pyramid	Page 17
Wall Contemporary Styles	Page 19

Under Cabinet Series



Select 10	Page 21
Slim Line	Page 22
Flush Mount	Page 24
Recycling Cabinet	Page 25




800.851.4192 ~ www.imperialhoods.com

7 YEAR WARRANTY—BEST IN THE INDUSTRY


Ventilator Insert with Baffles—18-1/8" Depth




Suggested distance 36" above cooking surface.



C2036BP1-TWB—1065 to 1275 CFM



C2000BP1-TWB—1065 to 1275 CFM



8" Transition
8" Round x 3-1/2"





10" Transition

Suggested distance 36" above cooking surface.


NOTE: Twin blowers ONLY. Combining two ducts in to one will VOID the Performance Warranty.

Ventilator Insert with Baffles—18-1/8" Depth



Suggested distance 36" above cooking surface.

NOTE: Twin blowers ONLY. Combining two ducts in to one will VOID the Performance Warranty.



Suggested distance 36" above cooking surface.

NOTE: Twin blowers ONLY. Combining two ducts in to one will VOID the Performance Warranty.





8" Transition
8" Round x 3-1/2" high





10" Transition
10" Round x 7-1/2" high

Ventilator Insert with Mesh Filters—18-1/8" Depth



Suggested distance 36" above cooking surface.



Suggested distance 36" above cooking surface.

NOTE: Twin blowers ONLY. Combining two ducts in to one will VOID the Performance Warranty.





8" Transition
8" Round x 3-1/2" high




10" Transition
10" Round x 7-1/2" high

Ventilator Insert with Mesh Filters—22-1/8" Depth



Suggested distance 36" above cooking surface.

NOTE: Twin blowers ONLY. Combining two ducts in to one will VOID the Performance Warranty.



Suggested distance 36" above cooking surface.

NOTE: Twin blowers ONLY. Combining two ducts in to one will VOID the Performance Warranty.





8" Transition
8" Round x 3-1/2" high




10" Transition
10" Round x 7-1/2" high

Ventilator Insert with Mesh Filters—18-1/8" Depth



Suggested distance 30" to 36" above cooking surface.

Ventilator Insert with Mesh Filters—11-1/4" Depth





Suggested distance 30" to 36" above cooking surface.



Available on C2000SD2 & C2000SD4
NOT Available on SD4-12

Island Pyramid



NOTE: Duct Cover Depth & Width



Depth: 11-5/8" All Sizes

Width / Single Duct: 36" = 11-3/4", 42" = 17-3/4", 48" = 23-3/4"

Width / Twin Duct: 48" = 23-3/4"

Suggested distance 36" above cooking surface. **Combining two ducts in to one will VOID Performance Warranty.**

Island Slim Line



Suggested distance 36" above cooking surface.


NOTE: Duct Cover Depth & Width

Single Duct: 11-5/8" D X 11-3/4" W


Twin Duct: 11-5/8" D X 23-3/4" W



Island Contemporary



8" Transition
8" Round x 3-1/2" high



NOTE: Duct Cover Depth & Width

Single Duct: 14-7/8" D X 28-7/8" W



Twin Duct: 14-7/8" D X 37-7/8" W

Suggested distance 36" above cooking surface.

NOTE: Twin Unit ONLY—Combining two ducts in to one will VOID Performance Warranty.





Ceiling Mount



8" Transition
8" Round $\times$ 3-1/2" high

Wall Mount



8" Transition
8" Round x 3-1/2"





10" Transition
10" Round x 7-1/2"

Suggested distance 36" above cooking surface.
NOTE: Twin Units Only. Combining two ducts in to one will
VOID Performance Warranty.




Outdoor Wall Mount



10" Transition

Suggested distance 40" to 46" above cooking surface.
NO Performance Warranty.

Wall Pyramid



WHP1900BP1- 570 TO 750 CFM





Suggested distance 36" above cooking surface.


NOTE: Duct Cover Depth & Width
11-5/8" D X 11-3/4" W

NOTE:
3" x 10" Rectangle transition to 7" Round.
Height = 12" (INCLUDED)
Minimum Duct Cover Height 12".

Wall Pyramid-Pro Style



8" Transition
8" Round x 3-1/2" high



NOTE: Duct Cover Depth & Width

Depth: 11-5/8" All Sizes

Width / Single Duct: 36" = 11-3/4", 42" = 17-3/4", 48" = 23-3/4"



Width / Twin Duct: 48" = 23-3/4", 54" = 29-3/4", 60" = 35-3/4"

Suggested distance 36" above cooking surface.

NOTE: Combining two ducts in to one will VOID Performance Warranty.



Contemporary Wall




Suggested distance 36" above cooking surface.
NOTE: Twin Units Only. Combining two ducts in
to one will VOID Performance Warranty.


NOTE: Duct Cover Depth 13-7/8" - Minimum Duct Cover Height: 5".



Select 10



Suggested distance 30" to 36" above cooking surface.






NOTE: Mounting Brackets for Wall Mount Application.

MUST indicate "wall mount" at the time of order.





8" Transition
8" Round x 3-1/2" high

Slim Line—18-1/8" Depth



Suggested distance 30" to 36" above cooking surface.

Slim Line—18-1/8" & 22-1/8" Depth





Suggested distance 30" to 36" above cooking surface.




8" Transition
8" Round x 3-1/2" high

Flush Mount



Suggested distance 30" to 36" above cooking surface.

Recycling Cabinet



(Total Height 33-7/8")
Wood Front Ready does
not have a handle as
shown above.



Recycle for a better tomorrow.

PROUD SUPPORTERS OF:



***Special
Olympics***



ORANGE COUNTY
FIRE FIGHTERS ASSOCIATION



